


ASPIRE2B VPN (MAC)


1) Go to the Check Point Enterprise Endpoint Download page:

<https://www.checkpoint.com/quantum/remote-access-vpn/#downloads>

2) Click on Download VPN button.



3) Click on Download for MACOS button



Remote Access Client

Provide users with secure, seamless access to corporate networks and resources when working remotely.

DOWNLOAD FOR WINDOWS

DOWNLOAD FOR MACOS

4) Download the latest binary and install the VPN software from the download location.

E89.10 Endpoint Security VPN Clients for macOS - Disc Image (DMG)

Product

Endpoint Security Client

Version

E89.x

OS

macOS 11 (EOS), macOS 12 (EOS), macOS 13 (EOS), macOS 14, macOS 15

File Name

Endpoint_Security_VPN.dmg

Download


By clicking on the "download" button, you expressly agree to be bound by the terms and conditions of this [download agreement](#).

5) After the installation, the VPN launch is from the Applications Menu.


Start the Check Point Endpoint Security VPN client. Press "Yes" when prompted with the message "No site is configured. Would you like to configure a new site?"




6) Follow the wizard to create a new connection to ASPIRE2B. Select "Next".



- 7) Enter vpn2.nscs.sg in “Server address or Name”. You may leave “Display name” unchanged. Select “Next”.




- 8) Select “CISCO_DUO_LDAP” and select “Next”. On the next screen, select “Finish”. Select “Yes” when prompted: “Would you like to connect?”




Please select your preferred login option from the following list


CISCO_DUO_LDAP (Default) ▼




9) Select the “Finish” button.



10) Click on Change Login Option Settings and under Authentication tab and please confirm CISCO_DUO_LDAP option is preselected. Click OK and Connect.



11) Enter your ASPIRE2B username and password.



The image shows a screenshot of the 'Check Point Endpoint Security' authentication window. The window has a title bar with a lock icon and the text 'Check Point Endpoint Security'. The main content area has a blue header with 'Endpoint Security' and the 'CHECK POINT' logo. Below the header, there is a 'Site:' dropdown menu showing 'vpn2.nscs.sg'. Under the 'Authentication' section, a message says 'Please provide a user name and password to authenticate'. There are two input fields: 'Username:' with the text 'username' and 'Password:' with masked characters. To the right of the input fields is an illustration of a yellow padlock and a globe. At the bottom, there are three buttons: 'Connect', 'Cancel', and 'Help'. Below the buttons, it says 'Selected Login Option: CISCO_DUO_LDAP' and a link 'Change Login Option Settings'.

Check Point Endpoint Security

Endpoint Security CHECK POINT

Site: vpn2.nscs.sg

Authentication

Please provide a user name and password to authenticate

Username: username


Password: ••••••••

Connect Cancel Help

Selected Login Option: CISCO_DUO_LDAP [Change Login Option Settings](#)

12) Approve the connection in DUO for multi-factor authentication (MFA).

- a) Open DUO on your phone.
- b) The approval message will appear.
- c) Select “Approve” to confirm the connection.



Note: There is a time limit for this operation. If approval is delayed, reconnect the VPN and repeat the MFA approval steps.

13) Launch your preferred terminal and use the following command to connect to ASPIRE2B.
Replace <userid> with your ASPIRE2B user ID.

```
ssh -Y <userid>@aspire2b.nsc.sg
```

-- End --